



## Manageable and cost effective colour print solutions for your business

The Samsung MultiXpress C8385ND is a powerful printing solution especially designed to have a powerful impact on your business.



The Samsung MultiXpress CLX-8385ND is the cost-effective way to bring versatile colour printing / copying to any office. The MultiXpress range of productivity enhancement features, combined with low cost ownership, means efficient printing without compromising on quality. These functions make the Samsung MultiXpress CLX-8385ND one of the fastest A4 colour Digital Multi-Function Printers in the market today. The highly durable Samsung MultiXpress CLX-8385ND is designed to be economical and productive in daily use. It features a low carbon footprint and effective power saving features that reduce energy bills and help achieve environmental targets.



### Welcome to your high performance office

The MultiXpress C8385ND is the high performance sports car of printers, going from zero to 38 colour A4 pages in just 60 seconds, one of the fastest in the world of its type. And with a colour scanning performance of 33ipm, it's your total business solution. And if its breathtakingly fast printing speed isn't enough, when you factor in the processing power that comes with an 800MHz CPU, 1GB of RAM and 160GB hard drive, there's no doubting the high-octane performance the MultiXpress C8385ND can bring to any office.



### Your printing experience just got a lot more colourful

With an almost unreal knack for colour accuracy and the power to handle the demands of premium quality 9,600dpi with absolute ease, the MultiXpress C8385ND delivers high quality colour printing whenever you need it. And its Easy Colour Manager and enhanced CTD sensor ensure that colour output is always clear, sharp and professional, giving you control of your colours — allowing you to easily adjust colour balance, brightness, contrast and saturation of any image that you view on your monitor.

### Get in touch with easy printing



With a luxuriously wide 7" colour LCD touch screen, you can figure out exactly what's happening with your print job in a

### Massive monthly duty cycle makes it easy



Designed to be less service dependent than your typical printer, the MultiXpress C8385ND lets you focus on your job

single glance. The MultiXpress C8385ND offers easy-to-execute trouble-shooting capabilities right on screen. Coupled with an intuitive and customisable user interface, you won't have to deal with a lot of downtime. Or upkeep.

### One printer. Total connection



By connecting all your staff to the MultiXpress C8385ND, you'll not only save time and money from servicing several printers, you'll increase productivity — your office will be able to print, scan, fax through your IT network smoothly and without disruption in just mere minutes.



### SyncThru™ Admin 5

Who says you can't do it all? SyncThru™ Admin 5 lets you easily install, manage and monitor all your networked digital print devices on an accessible interface. You also have the ability to analyse data in greater detail with easy-to-read reports.



### SyncThru™ Web Service

Tired of having to install software just to manage your printer? Now you can change printer settings, upgrade firmware and check your printer's status easily with just a web browser and the innovative SyncThru™ Web Service.



### SmarThru™ Workflow 2


Let the C8385ND do all your communicating. Its time-saving SmarThru™ Workflow 2 feature lets you send paper and electronic documents directly to multiple destinations including email boxes, network folders, and fax machines.

by doing its job — delivering all your documents without fail each and every time, thanks to its unparalleled monthly duty cycle. Network-ready, it can also be shared by multiple users, which lets your staff have the flexibility to print from different desks.

### Fed up with paper feeding



Feel free to multitask while your documents print: the MultiXpress C8385ND will crank through even your biggest print jobs without relying on you for a paper refill. Upgrade the standard 620-page capacity cassette with up to 2,100-page optional cassettes for even larger capacity paper handling, perfect for all of your bulk printing needs. Sometimes, bigger really is better.



### Easy Colour Manager

What you see is what you get with Easy Colour Manager. It lets you adjust the colour balance, brightness, contrast and saturation of any image you view on your monitor, which comes in especially handy when handling specific brand requirements.



### Auto Colour Detection

Skip the hassle of having to manually choose a mono or colour option. The MultiXpress C8385ND automatically detects colour in the images and prints accordingly. You'll save time and money by printing documents in colour only as necessary.



### Real-Time Calibration

No matter how many times you use the printer it always delivers consistent colour quality, automatically calibrating your colour so you don't have to even think about it. Unless the document is important enough that you want to, and then it will let manually manage the colour quality.



## SmarThru™ Office

Stay organised with the SmarThru™ Office. This time-saving solution efficiently captures documents and stores them in folders. It also indexes and bounds them so they can be sent to other destinations or to applications for editing.

|                 |                                      |                                                                                                                         |
|-----------------|--------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>Overview</b> | <b>Function</b>                      | Print, Copy, Scan, Fax (Optional), Network, Deplex                                                                      |
| <b>Print</b>    | <b>First Print Out Time (Mono)</b>   | Less than 14 seconds                                                                                                    |
|                 | <b>Resolution</b>                    | Up to 9,600 x 600dpi effective output                                                                                   |
|                 | <b>First Print Out Time (Colour)</b> | Less than 14 seconds                                                                                                    |
|                 | <b>Duplex</b>                        | Standard                                                                                                                |
|                 | <b>Emulation</b>                     | PCL5ce, PCL6, PostScript3, PDF Direct V1.4                                                                              |
|                 | <b>Speed (Mono)</b>                  | Simplex: Up to 38ppm in A4 (40ppm in Letter) Duplex: Up to 33ppm in A4 (35ppm in Letter)                                |
|                 | <b>Speed (Color)</b>                 | Simplex: Up to 38ppm in A4 (40ppm in Letter) Duplex: Up to 33ppm in A4 (35ppm in Letter)                                |
| <b>Copy</b>     | <b>First Copy Out Time (Mono)</b>    | Less than 13 seconds                                                                                                    |
|                 | <b>Multy Copy</b>                    | 1 ~ 999                                                                                                                 |
|                 | <b>Zoom Rate</b>                     | 25% ~ 400% (Platen Copy), 25% ~ 200% (DADF Copy)                                                                        |
|                 | <b>Duplex Copy</b>                   | Standard (1:2, 2:2, 2:1)                                                                                                |
|                 | <b>Copy Features</b>                 | ID Card copy, Auto fit, Margin shift, Book copy, Covers, Transparencies, Auto Suppression, Booklet, N-up, Clone, Poster |
|                 |                                      | Up to 1,200 x 1,200dpi                                                                                                  |
|                 | <b>First Copy Out Time (Color)</b>   | Less than 13 seconds                                                                                                    |
|                 |                                      | Up to 38cpm in A4 (40cpm in Letter)                                                                                     |
|                 |                                      | Up to 38cpm in A4 (40cpm in Letter)                                                                                     |
|                 |                                      |                                                                                                                         |
| <b>Scan</b>     | <b>Compatibility</b>                 | N/W Twain standard, WIA standard                                                                                        |
|                 | <b>Method</b>                        | Colour CCDM                                                                                                             |
|                 | <b>Resolution (Optical)</b>          | Up to 600 x 600dpi                                                                                                      |
|                 | <b>Resolution (Enhanced)</b>         | Up to 4,800 x4,800dpi                                                                                                   |
|                 | <b>Scan to</b>                       | HDD, Email, FTP, SMB, Client, USB Memory (Direct Scan)                                                                  |
| <b>Fax</b>      | <b>Compatibility</b>                 | ITU-T G3, Super G3                                                                                                      |
|                 | <b>Modem speed</b>                   | 33.6Kbps                                                                                                                |

|                                            |                                  |                                                                                                                                                                                                                                                                  |                                                     |
|--------------------------------------------|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|
|                                            |                                  | Mono: Up to 300 x 300dpi Colour: Up to 200 x 200dpi                                                                                                                                                                                                              |                                                     |
|                                            | <b>Memory</b>                    | HDD Store, 500 jobs                                                                                                                                                                                                                                              |                                                     |
|                                            | <b>Auto Dial</b>                 | 1-touch dial: 40 locations speed dial: 200 locations                                                                                                                                                                                                             |                                                     |
|                                            | <b>Fax Feature</b>               | Colour Fax, On hook Dial, Pause, Auto Redial, Last Number Redial, PC Fax                                                                                                                                                                                         |                                                     |
| <b>Paper Handling</b>                      | <b>Input Capacity and Types</b>  | Standard: 520-sheet cassette Tray, 100-sheet MP tray, Max: 2,720 sheets                                                                                                                                                                                          |                                                     |
|                                            | <b>Output Capacity and Types</b> | 500-sheet Face Down                                                                                                                                                                                                                                              |                                                     |
|                                            | <b>Media Size</b>                | 98 x 148mm (3.85" x 5.83") ~ 216 x 1,200mm (8.5" x 47.2") Banner Size Printing: 216mm x 1,200mm                                                                                                                                                                  |                                                     |
|                                            | <b>Media Type</b>                | Plain Paper, Thick Paper, Thin Paper, Bond Paper, Colour Paper, CardStock, Labels, Transparency, Envelope, Preprinted, Letterhead, Recycled Paper, Cotton, Archive                                                                                               |                                                     |
|                                            | <b>ADF Capacity</b>              | 100-sheet DADF                                                                                                                                                                                                                                                   |                                                     |
|                                            | <b>ADF Document Size</b>         | Width: 145 ~ 216mm (5.7" ~ 8.5") Length: 145 ~ 356mm (5.7" ~ 14.0") for Single page scan 145 ~ 400mm (5.7" ~ 15.7") for Multi pages scan Bank Check Scan: 69.6mm x 152.4mm                                                                                       |                                                     |
| <b>General</b>                             | <b>LCD</b>                       | 800 x 480 7" WVGA Colour Touch Screen                                                                                                                                                                                                                            |                                                     |
|                                            | <b>Memory / Storage</b>          | 1GB (Max. 2GB) / 160GB HDD                                                                                                                                                                                                                                       |                                                     |
|                                            | <b>OS Compatibility</b>          | [Windows] - 2000 / XP (32 / 64bit) / 2003 (32 / 64bit) / Vista (32 / 64bit) - Windows Terminal Services [Linux] - RedHat 8.0 ~ 9.0 - Fedora Core 1 ~ 4 - Madrake 9.2 ~ 10.1 - SuSE 8.2 ~ 9.2 [Mac] - Mac OS X 10.3 ~ 10.5, [Others] - Citrix Presentation Server |                                                     |
|                                            | <b>Interface</b>                 | Hi-Speed USB 2.0, Ethernet 10 / 100 / 1,000 base TX, USB host 2.0 (Scan to USB, USB print)                                                                                                                                                                       |                                                     |
|                                            | <b>Noise Level</b>               | Printing: 54dB Copying: 57dB Standby: 43dB                                                                                                                                                                                                                       |                                                     |
|                                            | <b>Dimension (W x D x H)</b>     | 606.8 x 575.0 x 815.5mm                                                                                                                                                                                                                                          |                                                     |
|                                            | <b>Weight</b>                    | Set: 71.5kg (with Consumables)                                                                                                                                                                                                                                   |                                                     |
|                                            | <b>Duty Cycle, Monthly</b>       | 100,000 sheets / month                                                                                                                                                                                                                                           |                                                     |
|                                            | <b>Consumables</b>               | <b>Black Toner Cartridge</b>                                                                                                                                                                                                                                     | Average Continuous Black Cartridge Yield: 20,000(1) |
|                                            |                                  | <b>Imaging Unit</b>                                                                                                                                                                                                                                              | 30,000 pages                                        |
| <b>Transfer Belt</b>                       |                                  | 100,000 pages                                                                                                                                                                                                                                                    |                                                     |
| <b>Waste Toner Container</b>               |                                  | 48,000 images (Mono 100% 48,000 pages / Colour 100% 12,000 pages)                                                                                                                                                                                                |                                                     |
| <b>Yellow/Magenta/Cyan Toner Cartridge</b> |                                  | Average Continuous Black Cartridge Yield: 15,000(2)                                                                                                                                                                                                              |                                                     |
| <b>Options</b>                             | <b>Options</b>                   | 1GB Memory: CLX-MEM400, Optional Cassette Feeder (x2): SCX-6555A, High Capacity Feeder: SCX-HCF100, Fax Kit: SCX-FAX210, Finisher: SCX-FIN11S, 2bin Finisher: SCX-FIN20S, 4bin Mailbox: SCX-MBT40S, Staple Cartridge: SCX-STP000, Stand Short                    |                                                     |

Features and specifications are subject to change without prior notification.

- (1) standard pages Declared yield value in accordance with ISO / IEC 19798
- (2) standard pages Declared yield value in accordance with ISO / IEC 19798